



# *Water* **Boiler**



# **Atlantis**



# Atlantis

## Hot Water on Demand

This latest innovation builds on the Fracino mission to be a one-stop shop for all beverage making equipment. True to the brand, Atlantis is excellent value for money, compact, stylish, robust and reliable.

Atlantis is a high volume hot water system designed to cope with the strenuous demands of busy tea rooms,

cafés and hotels. The machine has a 19 litre boiler giving an immediate draw off of 15 litres of hot water and produces 108 litres of hot water per hour\* - the most powerful hot water system of its kind on the market. Available with a 3kw element (13 amp power supply) or 6 kw element (30 amp power supply)\*.

## Technical Specifications

Model	Height (mm)	Width (mm)	Depth (mm)	Boiler Capacity	Element Rating	Power Supply	Hot water Immediate Draw off	Hot water Per Hour
Atlantis	480	375	500	19 litres	3/6 kw	13/30 amp Single phase	11/15 litres	41/108 litres

Installation requirements: Mains water - 15mm cold water supply with 3/4" standard washing machine stop cock

## Engineering Excellence comes as standard

Atlantis is designed and manufactured by Fracino in the UK, using world-class engineering, the latest production methods and state-of-the-art technology.

## Key Features

- Slim-line design constructed entirely in stainless steel - chassis, case and drip tray.
- Top quality stainless steel 19 litre boiler.
- Water temperature and level controlled by a sealed electronic control board.
- External programming operation to ensure electronics are protected.
- Continuous hot water flow on 6 kw version.
- Uniquely designed, durable, non-drip tap with ergonomic handle.
- Mains on/off switch and heating and filling neon indicator lights.
- Low water level and high temperature cut-out safety features.
- Time controlled cut-out prevents boiler from over-filling.
- Connection to mains water is located under the machine for neat installation and positioning flush to the wall.
- Slide-in drip tray.
- Water temperature pre-set at 90°C.
- Adjustable temperature - parameters can be set between 80-95°C.
- Robust, durable and easy to service and maintain.

**DISTRIBUTOR:**



Fracino, 17-19 Birch Road East, Birmingham, B6 7DA England  
Tel: +44 (0)121 328 5757 Fax: +44 (0)121 327 3333  
website: [www.fracino.com](http://www.fracino.com) email: [sales@fracino.com](mailto:sales@fracino.com)

The Fracino company policy is one of continuous improvement. We retain the right to change specification without prior notice.