

Technical Specifications

Classic

Model	Groups	Cups Per/Hour	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)	Boiler Capacity	Gas Rating	Electric Rating	Element Rating
CLA1E LPG Auto	1	120/200	480	375	500	35	7 Litres	1800 watts	350 watts	2.8kw
CLA2E LPG Auto	2	240/400	480	580	500	55	14 Litres	5500 watts	350 watts	3kw
CLA1 LPG Semi	1	120/200	480	375	500	35	7 Litres	1800 watts	350 watts	2.8kw
CLA2 LPG Semi	2	240/400	480	580	500	55	14 Litres	5500 watts	350 watts	3kw

Contempo


Model	Groups	Cups Per/Hour	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)	Boiler Capacity	Gas Rating	Electric Rating	Element Rating
CON1E LPG Auto	1	120/200	480	375	500	35	7 Litres	1800 watts	350 watts	2.8kw
CON2E LPG Auto	2	240/400	480	580	500	55	14 Litres	5500 watts	350 watts	3kw
CON1 LPG Semi	1	120/200	480	375	500	35	7 Litres	1800 watts	350 watts	2.8kw
CON2 LPG Semi	2	240/400	480	580	500	55	14 Litres	5500 watts	350 watts	3kw

Retro

Model	Groups	Cups Per/Hour	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)	Boiler Capacity	Gas Rating	Electric Rating	Element Rating
FCL1 LPG	1	100	680	375	500	35	7 Litres	1800 watts	50 watts	2.8kw
FCL2 LPG	2	200	680	580	500	55	14 Litres	5500 watts	50 watts	3kw

Gas Machine Requirements

Key: ■■■ Power Supply ■ Water Supply ■ Gas Supply



Model B / S / T / C6

Coffee Grinders

B/S & T models are good value grinders providing well ground coffee in sufficient quantity for the normal coffee bar or restaurant. They are manufactured from polished stainless steel and have adjustable grinder blades and portion control. Coffee is dispensed into the filter holder with a flick lever mechanism. The extensive C series automatic grinders are manufactured from die-cast polished and painted aluminium and are a stylish complement to the Fracino range.



Model	Height	Width	Depth	Hopper Capacity	Dispenser Capacity	Motor HP/RPM/Watt	Weight
T	610mm	210mm	310mm	1 KG	600g	0.12/1300/275w	8kg
S	610mm	210mm	310mm	2 KG	600g	0.2/1300/356w	9kg
B	475mm	210mm	410mm	1 KG	300g	0.12/1300/275w	8kg
Model C6 (64mm blades)	630mm	210mm	360mm	1.7kg	300g	0.45/1300/320w	12kg

Under Grinder Knockout Drawer



Model	Height	Width	Depth
Eco under grinder	65mm	220mm	430mm



"Frankly the finest for cappuccino"

Fracino 17-19 Birch Road East, Birmingham, B6 7DA, Great Britain.
 Website / www.fracino.com Email / sales@fracino.com
 Tel / +44 (0)121 328 5757 Fax / +44 (0)121 327 3333

The Fracino company policy is one of continuous improvement. We retain the right to change specification without prior notice.

V.1.0

DUALFUEL



Fracino DUALFUEL

FCL1 LPG



FCL2 LPG



RETRO

Espresso on the go

The Fracino 1 & 2 group Contempo, Classic and Retro coffee machines are also available as a dual fuel option. The same great specification as our standard 1 and 2 group machines but with the option to use LPG, Butane or electricity they provide unrivalled flexibility and mobility whilst still retaining high volume output. These machines are ideal for mobile catering units and 'espresso on the go.'

The high powered gas burners for these machines provide the equivalent power of their electric counterparts ensuring that there will be no loss of steam pressure during busy serving periods. Fracino are proud to claim that their gas machines are the most powerful in the world.

Retro Key Features

- Compact design.
- Large capacity top quality copper boiler heated by a multiple looped element.
- Pressure controlled by a triple contact pressure switch.
- Brass-bodied, smooth-action lever group with stainless steel shower plate.
- Highest powered LPG system in the world provides unrivalled output of coffee, hot water and steam.
- Automatic water level system with a probe, electronic control unit and solenoid valve.
- LPG or Butane fuelled burner equivalent to 4kw electrical power rating, fitted with electronic ignition, and flame failure safety device.
- Boiler pressure is controlled by a gas pressure valve set at 1.0 bar with low flame adjustment which controls the gas burner. Note a 37(LPG) / 30(BUTANE) mbar gas pressure regulator must be fitted prior to installation of the machine.

CLASSIC



CLA1 LPG



CLA1E LPG



CLA2 LPG



CLA2E LPG

Classic Key Features

- Top quality copper boiler heated by multiple looped element.
- Pressure controlled by a triple contact pressure switch.
- Automatic water level system with a probe, electronic control unit and solenoid valve.
- The pressure of water and steam is separately controlled by brass safety valves.
- Hot water and steam are released by rotating the valve handles on the solid brass valves.
- Brass bodied group with stainless shower plate, solenoid valve and high pressure pump.
- Thermosyphonic circulation ensures the group is kept constantly hot for perfect coffee making with temperature control on each group.

- Case,waste and cup tray are all made from stainless steel 304.
- Espresso tray for use with the high group feature ensuring a perfect espresso.
- Choose either gas, electricity or both.
- High groups to accommodate large takeaway cups and latte glasses with clearance of 132mm.
- Highest powered LPG system in the world provides unrivalled output of coffee, hot water and steam.
- LPG or Butane fuelled burner equivalent to 4kw electrical power rating, fitted with electronic ignition, and flame failure safety device.
- Boiler pressure is controlled by a gas pressure valve set at 1.0 bar with low flame adjustment which controls the gas burner. Note a 37(LPG) / 30(BUTANE) mbar gas pressure regulator must be fitted prior to installation of the machine.


CONTEMPO



CON1 LPG



CON1E LPG



CON2 LPG



CON2E LPG

Contempo Key Features

- Top quality copper boiler heated by multiple looped element.
- Pressure controlled by a triple contact pressure switch.
- Automatic water level system with a probe, electronic control unit and solenoid valve.
- The pressure of water and steam is separately controlled by brass safety valves.
- Hot water and steam are released by rotating the valve handles on the solid brass valves.
- Brass bodied group with stainless shower plate, solenoid valve and high pressure pump.
- Thermosyphonic circulation ensures the group is kept constantly hot for perfect coffee making with temperature control on each group.

- Case,waste and cup tray are all made from stainless steel 304.
- Espresso tray for use with the high group feature ensuring a perfect espresso.
- Choose either gas, electricity or both.
- High groups to accommodate large takeaway cups and latte glasses with clearance of 132mm.
- Highest powered LPG system in the world provides unrivalled output of coffee, hot water and steam.
- LPG or Butane fuelled burner equivalent to 4kw electrical power rating, fitted with electronic ignition, and flame failure safety device.
- Boiler pressure is controlled by a gas pressure valve set at 1.0 bar with low flame adjustment which controls the gas burner. Note a 37(LPG) / 30(BUTANE) mbar gas pressure regulator must be fitted prior to installation of the machine.

DUALFUEL

